

LASER ZTAMP SA DE CV

Tel. 614 499 0133 ventas@laserztamp.com.mx



NEOPRENE INSPECTION STAMPS PRE-INKED "RC" LIPSTICK LINE NUMBERING STAMPS **ALPHANUMERIC STAMPS AUTO NUMBERING MACHINES** WATER AND OIL BASE INKS SPECIAL MARKING INKS **STEEL STAMPS PEG STAMPS RIBTIPE TYPE SETS**



Self-Inking Stamps



The Most Advanced Pre-inked Stamp Technology Better Print Quality - Faster Inking

Available in 33 Sizes and 3 Handle Colors: Burgundy, Soft Green, and Blue













FastLight Ink Colors: Black, Red, Blue, Violet, Green

Only for use with FastLight Oil-base Ink (See Inks Page for more Information)

- Elegant High Quality Mounts
- Very Smooth Mechanism, No Squeek
- Up to 50,000 Quality Impressions
- Material resists Warping and Doming
- Ink Cartridges in 5 Colors
- Easily Reinkable in Just Seconds

🎡 1



Size Chart, Sizes 0 to 13

Stamp impression *must fit* within inner, dotted border. For best results, give impression an additional 1/8" margin from inner border.





14 - 17 & 27 - 32

Stamp impression *must fit* within inner, dotted border. For best results, give impression an additional 1/8" margin from inner border.


FL-27 FL-14 1" x 1-5/8" - 26mm x 42mm 1-1/4" x 3-1/2" - 31mm x 89mm FL-28 FL-15 1" x 2-1/8" - 26mm x 54mm 1-1/4" x 4" - 31mm x 101mm FL-29 FL-16 1-1/4" x 2-1/2" - 31mm x 65mm FL-30 1-5/8" x 4" - 42mm x 102mm FL-17 1-5/8" x 2-1/2 - 42mm x 65mm FL-31 1" x 3" - 26mm x 77mm 2-1/2" x 3-1/4" - 64mm x 83mm FL-32

1" x 3-5/8" - 26mm x 91mm

🏟 3



Size Chart, Sizes 18, 33-34, & R20-R24 Stamp impression *must fit* within inner, dotted border. For best results, give impression an additional 1/8" margin from inner border.





ŵ 5

PRE-INKED "RC" LIPSTICK INSPECTION STAMPS


FOR ALL POROUS SURFACES

COLORS AVAILABLE: Black, Red, Blue, Violet, and Green

RE-INKING: Inking is easy and takes less then one minute. Place Stamp FACE UP and pour a FEW DROPS of W-OIL-BASE INK on surface. Repeat 2 more times. The stamp will make over 20,000 Impressions and can be re-inked

USE "W"-OIL-BASE INK ONLY!

(Do Not Over-ink or allow ink to flow into mechanism)



ADJUSTABLE - RE-INKABLE





Line Numbering Stamps are excellent for repeat stamping of changing numbers.

Substitute Alphabet Bands A thru M or N thru Z in any position on special

Sketches or existing impressions can be faxed. Please call in or email for quote.

ventional self-inki	s sizes and number of bands available on self-inking stamps (bands on No. 3 size og stamps contain 11 characters.) All sizes shown are available as manual stamps. omp is available in BDA Style only.		CHAR. SIZE	MAX OF B	AND
E & STYLE	* 1" 2" 3" 4"	5"		REG.	SEL
0X Gothic 00 Gothic	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1		³ /32" 1/16"	21 22	20 19
00 Roman	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0		1/16"	20	18
0 Gothic	12345678901234567890		1/8"	19	19
0 Roman	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7		¹ /8"	17	10
1 Gothic	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9	-	5/32"	19	18
1 Roman	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5		5/32"	15	15
2 Gothic	12345678901234567	1	3/16"	17	1:
2 Roman	12345678901234		3/16"	15	1
2 ¹ /2 Gothic	1234567890123456789		1/4"	19	. 14
2 ¹ /2 Roman	123456789012345		1/4"	15	1:
3 Gothic	123456/890123456		⁵ /16"	16	1:
3 Roman	1234567890123		⁵ /16"	13	1
*BDA only 4 Gothic	123456789012		⁷ /16"	13	щ
4 Roman	1234567890		7/16"	11	G STYLE
5 Gothic	1234567890)	⁹ /16"	10	SELF-INKING
5 Roman	123430(8		⁹ /16"	8	ABLE IN S
6 Gothic	122426/89		¹¹ /16"	9	NOT AVAILA
	1254561		ж		NO
7 Gothic		1.4	7/8"	7	

ALPHANUMERIC STAMPS




Available in 28-Character (Alphabet-Only Band or Number+Fraction Bands) or 38-Alpha-Numeric (A-Z + 0-9 + period and dash)

Can contain up to 34 bands (in smallest band size! Create small phrases.

Requires stamp pad.

28-Character Alphabet-Only Band Size Chart



38-Character AlphaNumeric Band Size Chart

For complete versatility...each band contains 38 characters: the complete alphabet, the figures 0 through 9, plus a period and a dash. See table below for maximum capacity of bands per stamp.

To order, Specify: 1) Type Size 2) Number of Bands & 3) Style Number of Bands in the order you want them.

								1	н							2"								3"								4"	ų.						5"
(Gothic)	1	1	2	3	4		5	•	7	4	9		•		C	P	E	F	G	H	1	J	K	L	H	N	0	P	0	R	S	Ţ	l	J	V	M			
(Gothic)	1	1	2	3	4		5	6	7		9) A		C	þ	E	F	G	H	I	J	K	L	M	N	0	P	0	R	S	T	ι	1	V	M			
(Roman)	1		2	3		4	5	•	5	7	8	9	0		B	c	D	E	F	(; 1		I	J	K	L	M	1	1 0		P	0	R	S	T	τ	,		
(Gothic)	1		2	3		4	5	4	5	7	8	9	0		B	С	C		E I	ŧ	G	H	1	J	K	ι	. 1	1	N	0	P	C		2					
(Roman)	1	-	2		3		4	5		6	7		3	9	0	A	B		C	D	E	ł	2	G	H	1	[J	K	1	L	M	1	V	0	P			
Gothic)	1		2		3	4		5	6	7	8		9 (0	AE		21	Þ	E	F	G	H			"	<	L	M	N	C) F	9 (0	R					
Roman)	1		-	2	63	\$	4	1	5		6	7		8	9	0) ,	A	B		C	D		E	F		G	H		I	J		K]					
Gothic)	1	L	-	2		3	1	4	0	5	6		7	8	3 9		0	-	1	B	(;	C		E	F	-	G	ŀ	ł	I	•	J	k	<	L	N	11	V
Roman)]	1		2),		3		4		5		6		7	8		9		0		4	J	B	(C	I)	F	2	F		(H	I	T		T

Shaded area indicates sizes and number of bands available on BDA Self-Inking Stamps. BDA Self-Inking Stamps are available in Gothic only.



AUTO NUMBERING MACHINES



Auto Numberers

An excellent tool for stamping of continuously incrementing numbers.

From 5 to 13 wheels in either 3/16" or 11/64" sizes, and two typefaces (Roman and Gothic)

Numberers contain lever to set how many presses are required to advance the number (0=never--always print same number, 1=advance after single press, 2=advance after 2 presses, etc).

Stamp Pad is required.

Tally Counter

Handy for keeping accurate count manually. Counts up to 9999 times.



		Pro-Line	e Heavy-Duty Nu	mbering Machine		
MODEL	WHEELS	MOVEMENTS	AUTO MOVEMENTS	TYPESTYLE	STYLE	SIZE
A-01	10 wheels	Lever Action	6 wheels	1234567890	Roman	3/16"
A-31	13 wheels	0,1,2	6 wheels	1234567890123	Roman	11/64"
A-21	12 wheels	0,1,2	6 wheels	123456789012	Roman	11/64"
A-11	11 wheels	0,1,2	6 wheels	12345678901	Roman	3/16"
B-37	10 wheels	0,1,2	6 wheels	1234567890	Roman	11/64"
B-71	9 wheels	0,1,2,3,4,6,12	6 wheels	123456789	Roman	11/64"
B-78	8 wheels	0,1,2,3,4,6,12	6 wheels	12345678	Roman	3/16"
C-77	7 wheels	0,1,2,3,4,6,12	6 wheels	1234567	Roman	11/64"
C-71	6 wheels	0,1,2,3,4,6,12	6 wheels	123456	Roman	3/16"
C-72	6 wheels	0,1,2,3,4,6,12	6 wheels	123456	Gothic	3/16"
C-75	6 wheels	0,1,2,3,4,6,12	5 wheels	A12345	Roman	3/16"
D-51	5 wheels	0,1,2,3,4	5 wheels	12345	Roman	11/64"
MM-21	6 wheels	0,1,2,3,4	5 wheels	123456	Gothic	3/16"

		Stanc	lard-Duty Numb	ering Machine		
MODEL	WHEELS	MOVEMENTS	AUTO MOVEMENTS	TYPESTYLE	STYLE	SIZE
70005	5 wheels	0,1,2,3,4,6,12	5 wheels	01234	Roman	11/64"
70006	6 wheels	0,1,2,3,4,6,12	6 wheels	012345	Roman	3/16"

Water and Oil Base Inks

"W" Oil-Base Marking Ink

Deep, vibrant impression colors

- Colors Available: Black, Red, Blue, Green, or Purple
- · Premium oil-base stamp ink for easy re-inking
- · Resists drying for prolonged inking life for more impressions per re-inking
- For Pre-Inked stamps, NOT for stamp pads or self-inkers or FastLight
- Use only with: "W" Pre-Ink Stamps and RC Lipstick Stamps

"W" Water-Base Marking Ink

For Manual Stamping and Self-Inks

- Colors Available: Black, Red, Blue, Green, or Purple
- For Ink Pads and Self-Inking type stamps, NOT for pre-inked stamps
- · Premium water-base stamp ink for easy re-inking
- · Resists drying for prolonged inking life
- · Works well in hot and humid environments
- Available in 2 oz size, quart, or gallon.
- For use with: W FastStamps, Die Plates, Inspection, Regular Rubber and Pads

FastLight Oil-Base Ink

Special Formula for FastLight Brand

- Colors Available: Black, Red, Blue, Green, or Purple
- · Quick-dry formula -- dries in 20 seconds or less
- · Premium oil-base stamp ink for easy ink/re-ink of FastLight series
- · Deep, vibrant colors for your stamp impressions
- · Resists drying for prolonged inking life and more impressions per re-inking
- Use only with FastLight Brand Pre-Ink Stamps

FastLight Indelible Ink

Indelible Formula for FastLight Brand

- Colors Available: Black, Red, Blue, Green, or Yellow
- Permanent marking -- requires acetone, alcohol or paint thinner to remove
- For non-porous surfaces such as glass, metal, ceramics, hard plastic, etc
- SAFE for CDs, celophane, soft plastics, glossy photos, polished surfaces, etc.
- · Use only with FastLight Brand Pre-Ink Stamps











Special Marking Inks

Non-Porous "W" Super Ink

For Permanent Parts Marking

- Colors Available: Black, Red, Blue, Green, Yellow, White
- · Special formula non-porous ink is permanent ink for non-porous surfaces
- Excellent for inspection purposes and permanent industrial parts marking
- · Permanent: not affected by oil or water and resists cleaning agents
- Also known as "W" Non-Porous Permanent Ink
- · Also available in invisible formula: ultraviolet reactive glows with UV light
- Use only with "W" Super Stamps

Indelible Invisible Ink

For Permanent Parts Marking For Use with Ultra-Violet Light

- · Special formula invisible super ink is permanent ink for non-porous surfaces
- This ink is the U.V. (invisible) version of our Non-Porous "W" Super Ink
- Invisible ink formula is ultraviolet reactive: glows Orange-Yellow with UV light
- Excellent for inspection purposes and permanent industrial parts marking
- Completely invisible to regular light \endash perfect for surreptitious marking
- · Permanent: not affected by oil or water and resists cleaning agents
- Also known as "W Super" Invisible Ink

Invisible Body Ink

For Use with Ultra-Violet Light

- Completely invisible to regular light -- only visible under U.V. light
- Tested and approved for safe use on skin, but recommended only for hands and forearms
- Super fast drying: dry-to-touch within fifteen seconds of application
- Invisible ink formula is ultraviolet reactive: glows Orange-Yellow with UV light
- Semi-permanent: water and sweat resistant, but washes off with soap and water
- · Self-evaporating: impression will evaporate and disappear in three to five days
- Excellent for entry/exit marking for amusement parks, clubs, fairs, etc.
- Also known as Invisible Indelible Body Ink

"W" Ink Reactivator

Rejuvinates Stamp Impression Surface

- Also known as stamp Thinner or "Rejuvinator"
- Removes permanent impression markings made by non-porous permanent inks
- Removes non-porous ink buildup on stamp surface to rejuvinate impression quality











Inks to Stamp, Sizes, Colors

٩,

Ink-to-Stamp Cross Reference

		£.			5. 	Ae	k	2.	2.	
(aste	0,	Z, · P	Insp	K 3°	4			Crain,		
Ink - Stamp XRef "W" Oil-Base "W" Rubber Stamp		o late	174				ation the	NOC N	D ad	aody
"W" Oil-Base										
"W" Rubber Stamp										
FastLight Oil-Base										
FastLight 510 Indelible										
Non-Porous "W" Super										
Indelible Invisible										
Invisible Body										
"W" Ink Reactivator										

Ink Sizes	1/4	1/2	1oz	2oz	4oz	8oz	Pint	Qt	Gal
"W" Oil-Base	0	0	0	0	0	0	0	Ο	Ο
"W" Rubber Stamp				Ο				0	Ο
FastLight Oil-Base			0	Ο				0	\bigcirc
FastLight 510 Indelible				Ο					
Non-Porous "W" Super	Ο	0	0	0		0	Ο	Ο	\bigcirc
Indelible Invisible	0	0	0	0		0	Ο	Ο	\bigcirc
Invisible Body	0	0	0	0		0	Ο	0	Ο
"W" Ink Reactivator	0	0	0	0		0	Ο	0	Ο

Ink Bottles ship with either a Cap Spout or Built-In Dropper





*Invisible Body ink has other UV glow colors. Call for availability.

Glows Orange-Yellow with UV Light

Glows Green* with UV Light

Note: Actual packaging and labeling may look different than sample images and will depend upon bottle availability.

Other Inks Available Upon Request:

Ink In Special Colors Price Marking Ink Postage Marking Ink Frozen Food Package Ink Meat and Cheese Marking Acid-Base Inks High Temperature Ink Indelible Laundry Ink Can't Find It? Call & Ask

Indelible Invisible

Invisible Body



OUR QUALITY: Highspeed Steel Stamps will outlast Regular Steel Stamps by 2 to 3:1. Eliminates Costly Production Breakdowns, Saving you Time and Money. Highspeed Steel Stamps are guaranteed to be the finest quality available in the world.

PEG STAMPS



Great for Hard-to-Reach Places

Wood peg for high durability.

Can be pole-mounted to extend reach.


May be drilled, strapped or glued for complex or unique stamping projects.

Impression surface may be any size and shape -- not constricted by sizing charts.



<u>RIBTYPE TYPE SETS</u>

In the RIBtype® system, ribs on the back of the type interlock with ribs on the marking device. This allows for fast changes of text, which is ideal for date coding and lot number changes. Graphics can also be incorporated in the type for product and brand identification.



Sample Individual Ribtype Characters

Available in Four Basic Typesfaces:

- "A" Regular Typestyle (Trade Gothic Regular)
- "B" Regular, Condensed (News Gothic Roman Condensed)
- "U" Bold (CG Alpin Gothic #3)
- "G" Bold, Condensed (CG Alpin Gothic #1)

See the next page for type samples, sizes and corresponding item numbers

Order by Selecting a type style (A, B, U, or G), and type size from the next page. Once you know your type style and have selected a size, find the correct item number, such as "A17", "B10", "U77", or "G78."

Then, select your type set of choice from the right-most chart on the next page. For example, if you want an Alpha-numeric set, choose the "T" 5A or "T" 3A set. The right-most chart indicates that the "T" 5A set contains 136 pieces, and also shows how many of each character are in this set.

Available in Four Materials for Various Impression Conditions



NATURAL RUBBER: is best for general purpose use with alcohol and water-based inks. It is available in standard 50 durometer or soft 30 duro.

BLACK BUNA: This oil and acid resistant material is best for use with oil-based inks or when the type is exposed to petroleum products.

GREEN PVC: This oil and acid resistant for printing small text on plastic or film and for printing on abrasive surfaces such as Tyvek or brake shoes.

SILICONE: This blue-and-white material is for use with thermal ink-transfer printers and for hot stamping.



RIBTYPE TYPE SETS

		1 7		Lo: "	077/1-		1 7	P1	Lo: ''	-						
STYLE &	TYPE SAMPLE showing approximate	Type Face	No. of	Similar to other	STYLE &	TYPE SAMPLE showing approximate	Type Face	No. of	Similar to other	3	F-VP		1	-1	-1	CHAF
SIZE	characters per inch	Height	Ribs	Nos.	SIZE	characters per inch	Height	Ribs	Nos.				5	ЗA	5A	CHARACTERS:
A7	RIBTYPE 123456789012	1/16" 1.59mm	2	07	U70	RIBTYPE 12345	1/8" 3.18mm 5/32"	2	070	Valu	Valu	Nun	Nun	sets	5A sets	ERS:
A8	RIBTYPE 1234567	5/64" 1.98mm	2	08	U71	RIBTYPE 1234	5/32" 3.97mm	2	071	le r	ie Pa	nber	Number	ω	σı	Þ
A9	RIBTYPE 12345	7/64" 2.78mm	2	09	U72	RIBTY 123	3/16" 4.76mm	2	072	ack	ack	Number Assortment For Styles	Assortment	_	45	BC
A10	RIBTYPE 123	1/8" 3.18mm	2	010	U73	RIBT 123	1/4" 6.35mm	2	073	NUI	Nun	ortm	ortme		4	÷
A11	RIBTYP 123	9/64" 3.57mm	2	011	G73	RIBTYP 123	1/4" 6.35mm	2	073C	npe	nber	ent F	ent F		თ	Ш
B11	RIBTYPE 123456	9/64" 3.57mm	2	011C						r As	As	SID	For S		44	FG
A12	<u>RIBTY 12</u>	3/16" 4.76mm	2	012	U74	KIBI IZ	5/16" 7.94mm	3	074	son	sort	tyles	. Styles	_	4	H
B12	RIBTYPE 123	3/16" 4.76mm	2	012C	G74	RIRTY 12	5/16" 7.94mm	3	074C	me	ner	A12	A11		σ	-
A13	RIBTY1	1/4" 6.35mm	3	013							It Fc	and	l and		N N	L K
B13	RIBTY 12	1/4" 6.35mm	2	013C	U75	KIR53	3/8" 9.53mm	3	075	F-VF Value Fack Number Assortment For Styles A12	Value Pack Number Assortment For Styles	and Larger	d Smaller	N	σī	-
A14	RIR12	_5/16"	3	014	G75	DIRT19	3/8"	3	075C	yies	rles	rer	iller		ш СЛ	N
		7.94mm		017			9.53mm	5	0,30	AL	All			-	5	20
B14	KIR133	5/16" 7.94mm	3	014C	U76	D112	1/2"	4	076						4	σ
A15	DID 2	3/8" 9.53mm	3	015	070		12.7mm	4	070	and Larger	d S				N 5	QR
	NIDS	9.53mm		010	076	DID19	1/2"	4	076C	arg	Smaller				U U	S
B15	RIRT4	3/8" 9.53mm	3	015C	G76	<u> </u>	12.7mm	4	0700	er	ler			ω	σ	н
						DIO									ω	U V
A15 ¹ / ₂	\mathbf{R} \mathbf{A}	7/16" 11.1mm	4	0151/2	U77	\mathbf{K}	5/8" 15.9mm	5	077W						N W	< W
													100	-	N	×
A16	ドレ	1/2" 12.7mm	4	016			5/8"								ω	×
					G77	KIK I	15.9mm	5	077	-	5 5	4	5			Z 1
DIC		1/2"				Νυ				212			5		N	N
B16	ILU	1/2" 12.7mm	4	016C						T.	5 5	4	ъ		N	ω
					U78		3/4" 19.0mm	6	078W	21	5	4	5		N	4
		5/8"								2121	5		5 5	-	N N	56
A17		15.9mm	5	017						212						5 7
							3/4"			2112			5		_	8
					G78		3/4" 19.0mm	6	078	N	5 5	4	5	N	N	9
B17	KAI	5/8" 15.9mm	5	017C						2		-	5		ω	0
										0			N	_	4	•
	D1						15/16" 23.8mm	-		4		-	-		4 3	-
A18		3/4"	6	010	U79		23.8mm	7			+	-	-	-		Q0
ATO		19.0mm		018						5	ω	-			-	\$
															N	
	D 1									C.		+	-			1
B18		3/4"	6	018C	G79		15/16" 23.8mm	7	079	<u>د</u>	νω	-	-	-	-	10
		19.0mm					23.000			138	168	46	56	94	13	Total
										L					-	
Motor	Type Siz	zes,	St	yles	sand	Item Numl	oers	5		Ту	/pe	se	t C	on	ter	າts

Note: samples above are slightly smaller than actual size -- graph was scaled to fit catalog page.

